EPOS ADAPT 165T USB II (1000902)

EPOS ADAPT 165T USB II - ADAPT 100 Series - headset - on-ear - wired - 3.5 mm jack, USB-A - black - Certified for Microsoft Teams, Optimised for UC



Wired, double-sided headset with 3.5 mm jack USB connectivity, Microsoft Teams certified and optimized for UC. Work your way with a stylish, comfortable headset designed for the demands of today's hybrid workplace with superior stereo sound.

Key Selling Points

Microsoft Teams certified and UC optimized Call quality meets stylish design Plug and play device connectivity Enjoy enhanced comfort

Easy to store and portable

Get a seamless user experience from variants optimized for UC and certified for Microsoft Teams with a dedicated Teams button Guarantee business grade communication with a discreet boom arm, which folds away simply for a stylish look when out and about With the 3.5 mm jack USB-A or USB-C connectors, versatile workers on the move and in the office get simple, reliable functionality Newly designed, large on-ear leatherette earpads provide great comfort and noise damping Thanks to an innovative fold-flat ear cup design and carry pouch

Product Features

Convenient noise limiter switch

Via EPOS Connect limiting noise according to European and Australian standards

One touch access to meetings

Via dedicated Microsoft Teams button

Optimize speech clarity

With noise-cancelling microphone to filter out ambient noise

Enjoy a natural listening experience

With EPOS Voice[™] technology

Personalize for a perfect fit

With an adjustable, flexible headband

Protect from acoustic shock

With EPOS ActiveGard® technology

ADAPT 165T USB II

Stereo Teams Certified Headset

Microsoft Teams certified and UC optimized

Get a seamless user experience from variants optimized for UC and certified for Microsoft Teams with a dedicated Teams button

Call quality meets stylish design

Guarantee business grade communication with a discreet boom arm, which folds away simply for a stylish look when out and about

Plug and play device connectivity

With the 3.5 mm jack USB-A or USB-C connectors, versatile workers on the move and in the office get simple, reliable functionality

Main Specifications

Product Description	EPOS ADAPT 165T USB II - headset
Product Type	Headset - wired - 3.5 mm jack, USB-A
Recommended Use	Portable electronics, computer - communication
Colour	Black
Headphones Form Factor	On-ear
Foldable	Yes

Connectivity Technology	Wired
Headphones Technology	Dynamic
Sound Output Mode	Stereo
Sound Effects	EPOS Voice
Audio Specifications	Frequency Response 20 - 20000 Hz
Microphone	Boom
Microphone Operation Mode	Mono
Microphone Noise Cancelling	Yes
Controls	Volume, answer/end, microphone on/mute, redial
Software Certification	Certified for Microsoft Teams, Optimised for UC
Manufacturer Warranty	2-year warranty

Extended Specification

General

Product Type	Headset - wired - 3.5 mm jack, USB-A
Series	ADAPT 100 Series
Weight	145 g
Colour	Black
Earpad Material	Leatherette
Recommended Use	Portable electronics, computer - communication
Features	EPOS ActiveGard

Audio Output

Headphones Form Factor	On-ear
Foldable	Yes
Headphones Technology	Dynamic
Connectivity Technology	Wired
Sound Output Mode	Stereo
Sound Effects	EPOS Voice
Frequency Response	20 - 20000 Hz
Max Sound Pressure	115 dB
Magnet Material	Neodymium
Volume Limiting Function	Yes

Microphone

Туре	Boom
Microphone Operation Mode	Mono
Frequency Response	100 - 8000 Hz
Noise Cancelling	Yes

Remote Control

Controls

Connections

Connector Type	Headset (USB Type-A) Headset (mini-phone 3.5 mm 4-pole)
Cable	
Cable Length	2.317 m
Miscellaneous	
Included Accessories	Carrying pouch
Cable Details	Headset cable - 2.317 m USB-A to mini-phone 3.5 mm cable - detachable - with remote control
Software Certification	Certified for Microsoft Teams, Optimised for UC
Compliant Standards	Plug and Play
Manufacturer Warranty	
Service & Support	Limited warranty - 2 years
Dimensions & Weight (Shipping)	
Shipping Width	19.5 cm
Shipping Depth	16 cm
Shipping Height	6 cm
Shipping Weight	188 g

What's in the box

USB Cable

*TD SYNNEX is not responsible for errors in the documentation of products.