Brother ADS4700WRE1(ADS4700WRE1)

Brother ADS-4700W - Document scanner - Dual CIS - Duplex - A4 - 600 dpi x 600 dpi - up to 40 ppm (mono) / up to 40 ppm (colour) - ADF (80 sheets) - up to 6000 scans per day - USB 3.0, Gigabit LAN, Wi-Fi(n), USB 2.0 (Host)



The Brother ADS-4700W document scanner is designed to enhance productivity and efficiency in any office setting. Featuring automatic duplexing, this scanner allows for fast, two-sided scanning without manual intervention, saving time and reducing workload. With a generous feeder capacity of 80 sheets, it can easily handle large scanning jobs, making it an ideal choice for busy environments. The scanner supports a wide range of document types, including business cards, plain paper, and plastic cards, offering the versatility needed to meet various scanning needs.

Connectivity is a breeze with USB 3.0 and Wi-Fi options, providing the flexibility to fit into any existing workflow seamlessly. The ADS-4700W boasts a high scan speed of up to 40 pages per minute in both black and white and color, ensuring that large volumes of documents can be processed quickly and efficiently. With compliance to ISIS, TWAIN, and WIA standards, this scanner ensures compatibility with a wide range of software applications, further enhancing its utility in professional settings.

Key Selling Points

Automatic duplexing for efficient two-sided scanning 80-sheet feeder capacity for handling large jobs USB 3.0 and Wi-Fi connectivity for flexible integration Fast 40 ppm scan speed in both color and black & white

Product Features

Efficient scanning

With automatic duplexing and a feeder capacity of 80 sheets, the Brother ADS-4700W document scanner streamlines the scanning process, making it easier to manage large volumes of documents.

Versatile connectivity

Equipped with USB 3.0 and Wi-Fi interface types, this scanner offers flexible connectivity options, allowing for easy integration into any workspace.

High-speed performance

Achieve efficiency with a maximum document scan speed of 40 ppm for both black and white and color documents, ensuring quick processing of your scanning tasks.

Main Specifications

Product Description	Brother ADS-4700W - document scanner - desktop - USB 3.0, Gigabit LAN, Wi-Fi (n), USB 2.0 (Host)
Device Type	Document scanner - desktop
Interface Type	USB 3.0, Gigabit LAN, Wi-Fi(n), USB 2.0 (Host)
Scanning Sensor Type	Dual CIS
Light Source	LED
Additional Functions	Scan to USB, scan to PC, scan to network folder, scan to FTP, email, scan to cloud
Max Supported Document Size	215.9 x 355.6 mm
Input Type	Colour
Grayscale / Color Depth	8-bit (256 colours) / 48-bit colour
Grayscale / Color Depth (External)	24-bit (16.7 million colours)
Optical Resolution	600 dpi x 600 dpi
Interpolated Resolution	1200 dpi x 1200 dpi
Max Document Scan Speed	40 ppm (mono) / 40 ppm (colour)
Max Document Size	215.9 mm x 355.6 mm

Automatic Duplexing	Yes
Supported Document Type	Plain paper, business card, plastic card
Document Feeder Type	Automatic
Document Storage Capacity	80 sheets
Duty Cycle	6000 scans per day
Power	AC 100-240 V (50/60 Hz)
System Requirements	Apple macOS 10.14.x or later, Microsoft Windows 7 (32/64 bits) SP1, Windows 8.1 (32/64 bits), Windows 10 (32/64 bits), Microsoft Windows Server 2016, Microsoft Windows Server 2019, Microsoft Windows Server 2012, Microsoft Windows Server 2012 R2
Dimensions (WxDxH)	29.9 cm x 19 cm x 21.6 cm
Weight	2.75 kg
Manufacturer Warranty	2-vear warranty

Extended Specification

General

Туре	Document scanner - desktop
Interface Type	USB 3.0, Gigabit LAN, Wi-Fi(n), USB 2.0 (Host)
Additional Functions	Scan to USB, scan to PC, scan to network folder, scan to FTP, email, scan to cloud
Max Supported Document Size	215.9 x 355.6 mm

Expansion / Connectivity

Tabanifa and Datailla	HCD 2.0 (Heat). Torre A. LHCD 2.0 L Circle LAN
Interfaces Details	USB 2.0 (Host) - Type A ¦ USB 3.0 ¦ Gigabit LAN

Manufacturer Warranty

Service & Support	Limited warranty - 2 years	
-------------------	----------------------------	--

Media Handling

Max Document Size	215.9 mm x 355.6 mm
Supported Document Type	Plain paper, business card, plastic card
Supported Document Size Details	ADF - up to 215.9 x 355.6 mm
Document Feeder Type	Automatic
Document Storage Capacity	80 sheets

Miscellaneous

Cables Included	1 x SuperSpeed USB cable
Compliant Standards	RoHS, GS, WHQL, WPA3

Power

Power Device	Internal power supply
Voltage Required	AC 100-240 V (50/60 Hz)
Power Consumption Operational (Standby)	26 Watt
Power Consumption Stand by	8.6 Watt
Power Consumption Sleep	1.7 Watt

Software / System Requirements

Software Included	Presto! BizCard 7, Presto! BizCard 6, Kofax Power PDF Standard v3	
-------------------	---	--

OS Required

Apple macOS 10.14.x or later, Microsoft Windows 7 (32/64 bits) SP1, Windows 8.1 (32/64 bits), Windows 10 (32/64 bits), Microsoft Windows Server 2016, Microsoft Windows Server 2019, Microsoft Windows Server 2012, Microsoft Windows Server 2012 R2

Environmental Parameters

Min Operating Temperature	5 °C
Max Operating Temperature	35 °C
Humidity Range Operating	20 - 80%
Sound Emission	59 dB

Scanner

Input Type	Colour
Grayscale Depth	8-bit (256 colours)
Colour Depth	48-bit colour
Colour Depth (External)	24-bit (16.7 million colours)
Optical Resolution	600 dpi x 600 dpi
Interpolated Resolution	1200 dpi x 1200 dpi
Automatic Duplexing	Yes
Scanning Sensor Type	Dual CIS
Bulb / Light Source Type	LED
Max Document Scan Speed B/ W	40 ppm
Max Document Scan Speed Colour	40 ppm
Duty Cycle	6000 scans per day
Scanner Speed Details	40 ppm - black & white - A4 ¦ 40 ppm - colour - A4 ¦ 80 ipm - duplex - black & white ¦ 80 ipm - duplex - colour
Scanner Features	Auto Deskew, auto image rotation, automatic page size detection, Automatic Separation, blank page skipping, Long Document Scanning, One-Touch button, Remove Background, scan to portable USB drive, 10.9 cm colour touch screen
Compliant Standards	SANE, TWAIN, WIA, ISIS

Dimensions & Weight

Width	29.9 cm
Depth	19 cm
Height	21.6 cm
Weight	2.75 kg

Dimensions & Weight (Shipping)

Shipping Width	39.1 cm
Shipping Depth	32 cm
Shipping Height	24.3 cm
Shipping Weight	3.46 kg

^{*}TD SYNNEX is not responsible for errors in the documentation of products.