

Dell Pro P P2726HE (DELL-P2726HE)

Dell Pro P P2726HE - LED monitor - 27" - 1920 x 1080 Full HD (1080p) @ 120 Hz - IPS - 300 cd/m² - 1500:1 - 5 ms - HDMI, DisplayPort, USB-C - with 3 years Advanced Exchange Service



Main Specifications

Product Description	Dell Pro P P2726HE - LED monitor - Full HD (1080p) - 27"
Device Type	LED-backlit LCD monitor - 27"
Energy Label QR Code URL	https://eprel.ec.europa.eu/qr/2508160
Energy Class	Class D
Features	USB-C hub, USB PD 100 Watt
Panel Type	IPS
Aspect Ratio	16:9
Native Resolution	Full HD (1080p) 1920 x 1080 at 120 Hz
Pixel Pitch	0.3114 mm
Brightness	300 cd/m ²
Contrast Ratio	1500:1
Response Time	5 ms (grey-to-grey fast), 8 ms (grey-to-grey normal)
Colour Support	16.7 million colours
Colour Gamut	99% sRGB (CIE 1931), 99% BT.709 (CIE 1931)
Input Connectors	HDMI, DisplayPort, USB-C
Built-in Ethernet	Yes
Display Position Adjustments	Height, pivot (rotation), swivel, tilt
Screen Coating	Anti-glare, 3H Hard Coating
Voltage	AC 100-240 V (50/60 Hz)
Dimensions (WxDxH) - with stand (highest position)	61.069 cm x 19.228 cm x 53.456 cm
Weight	6.14 kg
Environmental Standards	ENERGY STAR Qualified
Compliant Standards	Plug and Play, RoHS, BFR-free, PVC-free
Bundled Services	3 years Advanced Exchange Service

Extended Specification

General

Display Type	LED-backlit LCD monitor / TFT active matrix
Energy Label QR Code URL	https://eprel.ec.europa.eu/qr/2508160
Energy Class	Class D
Diagonal Size	27"
Built-in Devices	USB-C hub
USB Power Delivery	100 Watt
Panel Type	IPS

Aspect Ratio	16:9
Native Resolution	Full HD (1080p) 1920 x 1080 at 120 Hz
Pixel Pitch	0.3114 mm
Pixel Per Inch	82
Brightness	300 cd/m²
Contrast Ratio	1500:1
Colour Support	16.7 million colours
Colour Gamut	99% sRGB (CIE 1931), 99% BT.709 (CIE 1931)
Response Time	5 ms (grey-to-grey fast), 8 ms (grey-to-grey normal)
Vertical Refresh Rate	48 - 120 Hz
Horizontal Refresh Rate	30 - 135 kHz
Horizontal Viewing Angle	178
Vertical Viewing Angle	178
Screen Coating	Anti-glare, 3H Hard Coating
Backlight Technology	LED backlight
Features	Wide Viewing Angle, Dell ComfortView Plus, Low Blue Light technology, LED edgelight system, Dell Easy Arrange, Mercury free, arsenic-free glass
Dimensions (WxDxH)	61.069 cm x 19.228 cm x 53.456 cm - with stand (highest position)
Weight	6.14 kg

Manufacturer Warranty

Bundled Services	3 years Advanced Exchange Service
------------------	-----------------------------------

Miscellaneous

Features	VESA interface support, security lock slot (cable lock sold separately), integrated cable management
Cables Included	1 x USB-C cable - 1.8 m
Compliant Standards	Plug and Play, RoHS, BFR-free, PVC-free
Security Slot Type	Kensington security slot

Power

Input Voltage	AC 100-240 V (50/60 Hz)
Power Consumption SDR (On mode)	14.9 kWh/1000h
Power Consumption (Typical)	15.4 Watt
Power Consumption (Max)	205 Watt
Power Consumption Stand by	0.5 Watt
Power Consumption (Off Mode)	0.3 Watt

Environmental Parameters

Min Operating Temperature	0 °C
Max Operating Temperature	40 °C
Humidity Range Operating	10 - 80% (non-condensing)

Connectivity

Interfaces	HDMI (HDCP 1.4) ¦ DisplayPort (HDCP 1.4) ¦ DisplayPort output (HDCP 1.4) ¦ USB-C upstream/DisplayPort 1.4 Alt Mode with Power Delivery (power up to 100W) ¦ 2 x USB downstream (Type A) ¦ LAN (RJ-45) ¦ USB-C downstream (data only)
------------	--

Dimensions & Weight

Dimensions & Weight Details	With stand (highest position) - width: 61.069 cm - depth: 19.228 cm - height: 53.456 cm - weight: 6.14 kg ¦ With stand (lowest position) - width: 61.069 cm - depth: 19.228 cm - height: 38.456 cm - weight: 6.14 kg ¦ Without stand - width: 61.069 cm - depth: 5.003 cm - height: 35.471 cm - weight: 4.5 kg
-----------------------------	--

Dimensions & Weight (Shipping)

<i>Shipping Weight</i>	<i>8.92 kg</i>
------------------------	----------------

Mechanical

<i>Display Position Adjustments</i>	<i>Height, pivot (rotation), swivel, tilt</i>
<i>Tilt Angle</i>	<i>-5/+21</i>
<i>Swivel Angle</i>	<i>90</i>
<i>Rotation Angle</i>	<i>180</i>
<i>Height Adjustment</i>	<i>150 mm</i>
<i>VESA Mounting Interface</i>	<i>100 x 100 mm</i>

Sustainability Information

<i>ENERGY STAR Certified</i>	<i>Yes</i>
<i>ENERGY STAR Version</i>	<i>8.0</i>

**TD SYNEX is not responsible for errors in the documentation of products.*